

# Implicit Update for Large-Scale Inversion under GP prior (with a view toward Optimal Design)

Cedric Travelletti

February 1, 2021

Joint work with D. Ginsbourger (UniBe) and N. Linde (UniL)

# Motivating Example: Stromboli Volcano

Want to learn the interior structure of the Stromboli volcano.

- Only allowed to measure gravitational field on the surface



## Question


Where should I collect data to get the best possible reconstruction?

# Section 1

## Problem Setup

# Problem Setup

- **Want to recover:** unknown density field  $\rho : D \rightarrow \mathbb{R}$
- measurement sites  $s_1, \dots, s_n \in S$  on the surface
- **Available data:** surface gravity field  $\{G_{s_i}[\rho]\}_{i=1, \dots, n}$ .



## Measurement (forward) operator

$$G_{s_i}[\rho] = \int_D \rho(x) \frac{x^{(3)} - s_i^{(3)}}{\|x - s_i\|^3} dx$$

Solve problem in a Bayesian way by putting a GP prior on subsurface density field.

- Available observations (gravity) are linear forms of the field.
- Use conditional distribution to approximate unknown field  $\rho$ .

# (Discrete) Bayesian Inversion

Discretize inversion domain into cubic cells of fixed side length.

- discretize GP prior on  $m$  cells:  $\mathfrak{D} = \{x_1, \dots, x_m\}$  .
- Prior mean  $\mu_0 = (\mu(x_i))_{i=1, \dots, m}$ , covariance matrix  $K_{ij} = k(x_i, x_j)$ .

Posterior is gaussian with mean vector and covariance matrix

$$\begin{aligned}\tilde{\mu} &= \mu_0 + KG^T \left( GKG^T + \tau^2 I \right)^{-1} (\mathbf{y} - G\mu_0) \\ \tilde{K} &= K - KG^T \left( GKG^T + \tau^2 I \right)^{-1} GK\end{aligned}$$

Get posterior by updating mean vector and covariance matrix.

Conditioning equations involve matrices that are impossible to store for (moderately) fine-grained inversion.

Conditioning equations involve matrices that are impossible to store for (moderately) fine-grained inversion.

$$\begin{aligned}\tilde{\mu} &= \mu_0 + KG^T \left( GKG^T + \tau^2 I \right)^{-1} (\mathbf{y} - G\mu_0) \\ \tilde{K} &= K - KG^T \left( GKG^T + \tau^2 I \right)^{-1} GK\end{aligned}$$

- Covariance matrix quadratic in number of inversion cells ( $\mathcal{O}(m^2)$  storage).
- Forward operator is *dense*: each datapoint influenced by **all** cells in discretization  $\implies$  No Sparsity.
- SPECIFIC TO INVERSE PROBLEMS.

Impossible to store covariance matrices for *real-world sized* problems.

# Challenges and Limitations: Example on Stromboli Volcano

- Discretize subsurface domain into cubic cells with 50m side length.
- On typical inversion domain (up to -500m) this gives 170'000 cells.
- Observations of gravity field at 543 locations (typical field campaign).




Figure: Topographic model used for discretization.




Figure: Observation locations.

# Challenges and Limitations: Stromboli Memory Needs

$$\tilde{\mu} = \mu_0 + KG^T (GKG^T + \tau^2 I)^{-1} (\mathbf{y} - G\mu_0)$$

$$\tilde{K} = K - KG^T (GKG^T + \tau^2 I)^{-1} GK$$

Matrix	# Elements	Storage
$K$	$2.9 * 10^{10}$	115 GB
$KG, G$	$9.2 * 10^7$	369 MB
$(\dots)^{-1}$	$2.9 * 10^5$	1.2 MB
$\mu$	$1.7 * 10^5$	0.7 MB




Figure: Grid and matrices size vs resolution on Stromboli example.

Compared to GP-regression, different dimensions at play.  
(specific to inversion).

## Summary of Challenges for large GP-based Inversion

- Larger-than-memory covariance matrices
- Difficult to exploit sparsity when observation operators are dense (inversion-specific).
- Sequential updates impossible (cannot store intermediate covariances).

## Section 2

# Solving the Memory Bottleneck

# Implicit Representation and Update of Covariance

Use an (almost-) matrix-free implicit representation of the posterior covariance matrix.

Use an (almost-) matrix-free implicit representation of the posterior covariance matrix.

## Basic Idea

Most/all posterior covariance information can be extracted by computing products of the posterior covariance matrix with other matrices.

- Store *cooking recipe* for multiplication with posterior covariance.
- *Recipe* is much lighter than full matrix.
- Can be updated quickly if new data becomes available.

Use an (almost-) matrix-free implicit representation of the posterior covariance matrix.

## Basic Idea

Most/all posterior covariance information can be extracted by computing products of the posterior covariance matrix with other matrices.

- Store *cooking recipe* for multiplication with posterior covariance.
- *Recipe* is much lighter than full matrix.
- Can be updated quickly if new data becomes available.

Implicit representation allows:

- Fast inclusion of new data (update of posterior).
- Transfer of computations to multiple computational units and/or GPUs (only small multiplications involved).

## Observation

Posterior covariance information may be extracted via products with *tall and thin* matrices:

$$\tilde{K}A, A \in \mathbb{R}^{m \times p}, p \ll m$$

Only need to maintain a multiplication routine.

# Implicit Representation: Sequential Setting

Consider sequential data assimilation setting.

- Measurements  $G_1, \dots, G_n$ .
- Covariance after inclusion of first  $n$  batches:  $K^{(n)}$ .
- Do not compute  $K^{(n)}$ , only maintain a right-multiplication routine.

$$\text{CovMul}_n : A \mapsto K^{(n)} A$$

# Implicit Representation: Sequential Setting

Consider sequential data assimilation setting.

- Measurements  $G_1, \dots, G_n$ .
- Covariance after inclusion of first  $n$  batches:  $K^{(n)}$ .
- Do not compute  $K^{(n)}$ , only maintain a right-multiplication routine.

$$\text{CovMul}_n : A \mapsto K^{(n)} A$$

- Update this *implicit* representation at every new data inclusion.

$$K^{(n)} A = K^{(0)} A - \sum_{i=1}^n \bar{K}_i R_i^{-1} \bar{K}_i^T A$$

$$\bar{K}_i := K^{(i-1)} G_i^T,$$

$$R_i^{-1} := \left( G_i K^{(i-1)} G_i^T + \tau^2 I \right)^{-1}.$$

# Implicit Representation: Computational Cost

For reconstruction of full posterior covariance matrix, only need to store two matrices at each data ingestion stage:

- $m \times d_n$  matrix  $K_{n-1}G_n^T$
- $d_n \times d_n$  matrix  $(G_nK_{n-1}nG_n^T + \Delta)^{-1}$ .

With  $d_n$  number of datapoints at stage  $n$  and  $\Delta$  data noise covariance.

- Only involves right-multiplication with previous stage covariance.
- Can hence be defined recursively.
- Substantial memory saving compared to storing full covariance.




Figure: Memory footprint of posterior covariance as a function of model size.

# Update Algorithms

---

## Algorithm 1 Covariance Right Multiplication Procedure after $n$ conditioning

---

**Require:** Precomputed matrices  $K_1^\#, \dots, K_n^\#$  and  $R_1^{-1}, \dots, R_n^{-1}$ .

Prior covariance right-multiplication routine  $CovMul_0$ .

Input matrix  $A$ .

**Ensure:**  $K_n A$

**procedure**  $CovMul_n(A)$

Compute  $K_0 A$  using prior right-multiplication routine.

**Return**  $K_0 A - \sum_{i=1}^n K_i^\# R_i^{-1} K_i^{\#T} A$ .

---

## Algorithm 2 Updating intermediate quantities at conditioning step $n$

---

**Require:** Last step covariance right-multiplication routine  $CovMul_{n-1}$ .

Measurement matrix  $G_n$ , measurement noise covariance  $\Delta_n$ .

**Ensure:** Step  $n$  intermediate matrices  $K_n^\#$  and  $R_n^{-1}$

**procedure**  $CovUpdate_n$

Compute  $K_n^\# = K_{n-1} G_n^T$  using last step right-multiplication routine.

Compute  $R_n^{-1} = (G_n K_n^\# + \Delta_n)^{-1}$ .

---

By introducing an implicit representation for the covariance matrix, we are able to deal with *Larger-than-memory* covariance matrices arising in large scale Bayesian inverse problems.

In this setting, we can then:

- Extract posterior covariance information.
- Perform fast inclusion of new observations (updating).
- Distribute computations to multiple devices (GPUs, ...).

Implicit Representation allows us to tackle new questions in large inverse problems:

- Optimal Design
- Uncertainty Quantification (posterior sampling, ...)




## Section 3

# Optimal Design

# Example: Optimal Design on Stromboli Volcano

Use posterior covariance information to guide future data acquisition.

- Observation locations selected according to pre-defined objective.



(a) simulated surface gravity (b) reconstructed internal mass density (c) residual variance

- New observation locations selected sequentially.
- Locations selected based on how observation there would change covariance.
- Requires fast access/update of posterior covariance.

# Possible Objective: Excursion Set Reconstruction

## Question

What if want to learn regions of high density instead of full matter distribution?

- Target is excursion set  $\Gamma = \{x \in D : Z_x > t\}$ .
- Observations close to excursion regions more informative.
- $\implies$  Find criterion for how informative (about the excursion set) a given observation location  $s$  is.

## (weighted) IVR criterion

$$\text{IVR}(s) := \int_D (\text{Var}_n [Z_x] - \text{Var}_n [Z_x | G_{(s)}]) \mathbb{P}_n [x \in \Gamma] dx$$

Where  $n$  data ingestion steps have already been performed and variances and excursion probabilities are computed under the current (stage  $n$ ) conditional law of the field.

# IVR and Implicit Update Framework


$$\text{IVR}(G) \cong \sum_{i=1}^m \left( K G^T (G K G^T + \tau^2 I)^{-1} G K \right)_{ii}$$

- Requires multiplication with current covariance matrix  $K$ .
- In a sequential and large scale setting,  $K$  cannot be stored.
- Computation of IVR without update formulae requires inverting concatenated dataset.
- Update formulae allow to compute only contribution of new observation  $G$ .
- No need to re-invert whole dataset.
- Cost scales cubically in the size of the new observations (compared to cubic in dataset size for direct approach).


# Test Case: Stromboli

- Want fine grained reconstruction (50m resolution) of excursion set.
- High resolution  $\implies$  big grid ( $\sim 150k$  cells)  $\implies$  big cov matrix ( $\sim 150GB$ ).


Optimal observation plan by myopic optimization of wIVR criterion.



**Figure:** True density and excursion set (generated from model).



**Figure:** Proposed data collection plan, wIVR long-range strategy, total budget of 90 observations.



**Figure:** Estimated excursion set (Vorob'ev Expectation) and coverage function.

# Diagnostics: Limiting Distribution

Since implicit representation allows fast inclusion of new datapoints, can study the *limiting distribution*.

## Limiting Distribution

- Posterior distribution after data collected at all accessible locations.
- Gives sense of *minimal residual uncertainty* (inherent to this type of data).




Figure: True positives vs amount of data collected.




Figure: Same, but for false positives.

## Section 4

(towards) UQ

# Posterior Sampling for large-scale Inverse Problems

# Posterior Sampling for large-scale Inverse Problems

Direct posterior sampling impossible (150k correlated RVs.).

- Sampling (stationary, isotropic) prior is feasible (turning bands, ...).
- Implicit Representation allows for fast conditioning.

$\implies$  Can use *residual kriging*.

---

## Algorithm 4 Residual Kriging

---

**Require:** Gaussian process  $Z \sim Gp(\mu, k)$ ,  
observation operator  $G$  and involved points  $W$ ,  
observed data  $y$ , design points  $X$  containing  $W$ .

**Ensure:** Conditional realisation of  $Z_X$ .

Draw  $Z'_W$  from  $Gp(\mu, k)$  and  $d$  dimensional vector  $\epsilon \sim \mathcal{N}(0, \tau^2 I_d)$ .

Compute conditional mean  $\tilde{\mu}_X$  with data  $y$ .

Compute conditional mean  $\tilde{\mu}'_X$  with data  $GZ'_W + \epsilon$ .

**Return**  $\tilde{\mu}_X + Z'_X - \tilde{\mu}'_X$ .

# Residual Kriging: Example

Simulate excursion set realizations, conditional on *2018 Stromboli field campaign* data.




Figure: Prior excursion set realisations. Observation locations of shown in black.




Figure: Corresponding conditional realisations.

Posterior sampling can be used as building block for UQ on sets.

- UQ for excursion sets.
- New design criteria (learning transition surfaces, ...).
- Criterion Optimization (lookahead, include trajectory cost).
- Joint inversion (electromagnetic, seismic, neutrino?).

# The End

<https://www.itij.com/story/115685/tourists-flee-stromboli-volcano-eruption>